L Number	Hits	Search Text	DB	Time stamp
1	2	20030163645.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:21
2	12233	prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:22
3	19077	runtime or run-time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:23
4	487	(memory or address or storage) with (allocat$4 or allot$3) with (runtime or run-time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:24
5	154	(runtime or run-time) with heap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:24
7	0	((runtime or run-time) with heap) and (heap with (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:24
8	21	((memory or address or storage) with (allocat$4 or allot$3) with (runtime or run-time)) and (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:24
6	4	heap with (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:38

L Number	Hits	Search Text	DB	Time stamp
1	12233	prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:46
2	108	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near hint$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:46
4	487	(memory or address or storage) with (allocat$4 or allot$3) with (runtime or run-time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:47
5	0	((memory or address or storage) with (allocat$4 or allot$3) with (runtime or run-time)) and ((prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near hint$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:47
3	3	pointer same ((prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near hint$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:49
6	8	("5201041" | "5317718" | "5361391" | "5371870" | "5461718" | "5499355" | "5506976" | "5537573").PN.	USPAT	2004/06/29 09:47
7	1	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) near5 heap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:50
8	4	(prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)) with heap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:52
9	249	(pointer with register) same (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:57
10	214	allocation adj (range or pool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:57
11	0	(allocation adj (range or pool)) and ((pointer with register) same (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:57
12	1674	(address$3 with register) same (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:57
13	794	allocat$3 adj (range or pool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:57
14	2	((pointer with register) same (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))) and (allocat$3 adj (range or pool))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:58

C:\APPS\EAST\Workspaces\10080859.wsp

15	12	((address$3 with register) same (prefetch$3 or pre-fetch$3 or preread$3 or pre-read$3 or readahead or (read$3 adj ahead))) and (allocat$3 adj (range or pool))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:58